



**West African Ornithological Society
Société d'Ornithologie de l'Ouest
Africain**



**Join the WAOS and support
the future availability of free
pdfs on this website.**

<http://malimbus.free.fr/member.htm>

If this link does not work, please copy it to your browser and try again.

If you want to print this pdf, we suggest you begin on the next page (2) to conserve paper.

**Devenez membre de la
SOOA et soutenez la
disponibilité future des pdfs
gratuits sur ce site.**

<http://malimbus.free.fr/adhesion.htm>

Si ce lien ne fonctionne pas, veuillez le copier pour votre navigateur et réessayer.

Si vous souhaitez imprimer ce pdf, nous vous suggérons de commencer par la page suivante
(2) pour économiser du papier.

N O T E S

Unusual Behaviour of an Osprey. The Osprey Pandion haliaetus is an occasional visitor to the Zaria area and I have sight records of single birds at Samaru Lake (Zaria) on 8th and 13th May 1963 and at Maska Dam (near Funtua) on 6th and 13th October 1963. The purpose of this brief note is to report the apparently uncommon behaviour of an Osprey observed near the lake on the farm at the Institute for Agricultural Research, Samaru, on 1st October 1964. The bird was observed to stalk, and to take by means of a typical plunge from 100 ft., a live mammal about the size of a small rat. The incident occurred within 50 yards of the shore of the lake which is well stocked with fish, the normal staple diet of the Osprey. Ospreys in Europe when pressed by hunger have been known (1) to take chickens and small mammals, but in this instance there should have been no such necessity.

(1) Witherby et al. (1940) The Handbook of British Birds. Vol 3, p.109.

N. J. Skinner

Bats as an Item in Bird Diets. Considering the large number of bats in most districts of Nigeria, it is remarkable how few birds of prey attempt to feed on them. One species, the Bat Hawk Machaeoramphus alcinus has adapted itself almost entirely to catching bats on the wing (although I have seen it having a shot at swifts early in the evening), but it is dangerous to assume that any bird seen going after bats is a Bat Hawk.

I have seen the Lanner Falco biarmicus pursuing bats with determination, even the Kite Milvus migrans will sometimes make rather a clumsy attempt. The Shikra Accipiter badius will take bats by perching over the exit hole in a roof and, warned by the scurry of the emerging bats, dive down with the cloud and take a bat in about one of five attempts.

My most interesting record is of a small extremely fast falcon capturing bats with great success, seen on two occasions, 21st December 1962 and again on 18th February 1963. This appeared very dark in the twilight, but was distinctly paler below and had a typical falcon moustachial streak and pointed wings. My guess is that it was a Hobby Falco subbuteo; it was certainly not any of the more usual hawks around Kaduna.

Reverting to the Bat Hawk, I have on two occasions seen it very close at hand, catching bats at a low level, when its characteristic markings can be clearly seen. More usually it is seen cruising round fairly high up making occasional swift dives after bats which it is very expert at catching, and eats on the wing. When doing this, it catches the attention and must be visible over a wide area, and it is surprising that it is not seen more frequently. My own records are very sporadic, which would appear to indicate that the bird wanders about a good deal. The dates on which